



. \_ . \_ \_ .

PATENT Atty. Docket No. BSC-181 (1002/249)

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT:

Hammond et al.

CONFIRMATION NO.:

4800

SERIAL NUMBER:

09/733,752

GROUP NUMBER:

3738

FILING DATE:

December 8, 2000

EXAMINER:

Pellegrino, Brian E.

TITLE:

FACILITATING DRAINAGE

Commissioner for Patents Washington, D.C. 20231

RECEIVED

1-15.02 9/Elcelin

NOV 2 2 2002

TECHNOLOGY CENTER R3790

## RESPONSE TO RESTRICTION/ELECTION REQUIREMENT

This paper is responsive to the Office Action mailed from the Patent Office on November 5, 2002. The shortened statutory period for response expires on December 5, 2002.

The Office Action indicates that the response filed on August 9, 2002 is not fully responsive to U.S. Patent Office Paper No. 6. The present Office Action requires Applicants to elect a stent Species as presented in Paper No. 6.

Paper No. 6 lists the following species of stents: Species I: Figure 3; Species II: Figure 4; Species III: Figure 5; Species IV: Figure 6; Species V: Figures 10-12; Species VI: Figure 17; Species VII: Figure 26 (distal end of stent with retaining device); Species VIII: Figure 27 (distal end of stent with retaining device); and Species IX: Figure 28 (distal end of stent with retaining device). Applicants hereby provisionally elect Species V, corresponding to Figures 10-12. Applicants reserve the right to pursue claims directed toward these remaining species in due course.

Response Serial No. 09/733,752 Page 2 of 2

Applicants respectfully request that the application now proceed promptly to examination. Applicants believe that no additional fees are necessitated by the present Response. However, in the event that any additional fees are due, the Commissioner is hereby authorized to charge any such fees to Deposit Account No. 20-0531.

Dated: November  $\frac{9}{\sqrt{740}}$ , 2002

Registration No. 36,748

Tel: (617) 248-7870

Fax: (617) 248-7100

Respectfully submitted,

John V. Bianco

Attorney for Applicants

TESTA, HURWITZ, & THIBEAULT, LLP

High Street Tower 125 High Street

Boston, MA 02110

2532914

	OIPE		0-9/4	EXPRESS MAI	IL L	EL NO. EV192309028US	
			Application	Serial Number	09/7	33,752	
( NOV 1 9 2002 &)			Filing Date		Dece	December 8, 2000	
			First Named	Inventor	Hammond		
TRANGETITTA		Group Art U		Jnit	3738		
		Examiner Na		ame	Pellegrino, Brian E.		
FORM			Attorney Do	ocket No.	BSC	-181	
		BATCH NO		). (after allowance)	Not applicable		
			Patent No.		Not applicable		
			Issue Date		Not applicable		
ENCLOSURES (check all that apply)							
☐ Fe	e Transmittal Form			e to File Missing cation (PTO-1553)		Notice of Appeal to Board of Patent Appeals and Interferences	
	Check Attached	_		,	_		
	☐ Copy of Fee Transmittal Form		Formal Drawin	ng(s)		Appeal Brief (in triplicate)	
$\boxtimes$	Amendment/Response		Request For C Examination (			Status Inquiry	
	Restriction Requirement After Final		Transmittal	T)	$\boxtimes$	Return Receipt Postcard	
	Affidavits/declaration(s) Letter to Official Draftsperson	Power of A (Revocatio		rney f Prior Powers)			
	including Drawings [Total Sheets]		Terminal Disc	laimer		Certificate of Facsimile Transmission under 37 C.F.R. 1.8	
	Petition for Extension of Time		Executed Declaration and Power of Attorney for Utility or Design Patent Application			Additional Enclosure (please identify below)	
	Information Disclosure		Small Entity S	mall Entity Statement			
	Statement Form PTO-1449 Copies of IDS		CD(s) for large	e table or computer		RECEIVED	
	Citations		program			NOV 2 2 2002	
	Certified Copy of Priority Document(s)		Amendment A	fter Allowance		TECHNOLOGY CENTER R3700	
	Sequence Listing submission  Paper Copy/CD Computer Readable Copy Statement verifying identity of above  Request for Co Correction duplicate		ertificate of of Correction (in				
CORRESPONDENCE ADDRESS				SIGNATURE BLO	OCK	D	
				Respectfully submitted,  Date: November 49, 2002  Reg. No. 36,748  Tel. No.: (617) 248-7870 Fax No.: (617) 248-7100  Fax No.: (617) 248-7100  Testa, Hurwitz & Thibeault, LLP  High Street Tower  125 High Street  Boston, MA 02110			